

# CORONA VIRUS COVID-19



## **COVID-19 PROCEDURES & PROTOCOLS**

**Every participant and guest is required to adhere to all COVID-19 procedures as set forth by all facilities, their management as well as local and state governments. Each facility reserves the right to refuse any patron, player or coach from entering the building. Failure to follow any procedure could result in removal from the facility or further action.**

If any player, coach, spectator, or staff is not feeling well or has been exposed to a person with COVID-19 within the past 14 days, he/she should stay home.

All players, coaches, spectators, and staff will receive a digital temperature check each time they enter the facility.

Admission is EXACT CHANGE ONLY (no exceptions). No change will be available for any transaction. There is a NO RE-ENTRY policy for each individual game.

Sanitization methods will be used between games and before next teams and spectators can enter.

---

### **Due to COVID-19, the following building policies will be in place throughout the event:**

1. All players, coaches, and spectators will be required to wear a mask when entering and exiting the facility.
2. Only the teams and their guests of each individual game will be allowed in the facility at one time. Teams and guests are encouraged to wait in their vehicle or covered outdoor area until the appropriate entry time for their respective game.
3. Maximum capacity for spectators is set at 250 per game session. Due to facility capacity restrictions, spectator admission is not guaranteed. Spectators cannot be admitted after each game session capacity has been reached.
4. No spectators are allowed on the court level. All spectators must remain on the mezzanine (upper level) throughout the entirety of their game.
5. All spectators will be required to wear a mask and practice 6-foot social distancing guidelines (non-related spectators) during the entirety of each game session.
6. Teams and spectators must immediately exit the facility after each individual game through the appropriate marked exit doors.